

CONTENTS—VOLUME XIX, PART III.

PAPERS.	PAGE
XII.— Xenolithic Minor Intrusions in the Loch Lomond District. By J. G. C. Anderson, M.A., B.Sc., Ph.D. and G. W. Tyrrell, D.Sc., A.R.C.Sc., F.R.S.E., F.G.S.	373
XIII.— Rhu (Row) Point—A Readvance Moraine. By W. J. McCallien, D.Sc.	385
XIV.— The Carbonicola Fauna of the Midlothian Fifteen Foot Coal: a Study in Variation. By D. Leitch, B.Sc.	390
XV.— The Basal Fauna of the Zone of <i>Anthracomya modiolaris</i> in the Coal Measures of South Ayrshire. By D. Leitch, B.Sc.	404
XVI.— A Note on the Orientation of Cone-shaped Meteorites. By W. J. McCallien, D.Sc.	409
XVII.— The Fauna of Skipsey's Marine Band. By Ethel D. Currie, B.Sc., Ph.D., F.G.S., Catherine Duncan, M.A. (Mrs. McCallien) and Helen M. Muir-Wood, D.Sc., F.G.S.	413
XVIII.— The Cause and Mechanism of Igneous Intrusion: with some Scottish Examples. By R. W. van Bemmelen (Bandoeng, Java)	453
XIX.— Obituary Notices: J. W. Gregory; R. McMillan; R. W. Dron; W. Mackie.	493
Abstract of Proceedings for 1931 (12th March) to 1936 (9th April)	500
Abstract of the Treasurer's Accounts for 1931 to 1936	515
Index to Volume XIX	528

PLATES.		FACING PAGE
Plate I.—Diagram showing the intergrades of the variable community of <i>Carbonicola communis</i> from above the Midlothian Fifteen Foot Coal ..		400
Plates II-IV.—Fauna of Skipsey's Marine Band ..		452
Plate V.—Ideal evolution of a single undation impulse, excluding all complicating factors		463
„ VI.—Tectonics and major intrusions about the Mull igneous centres		487

(Plate VI is reproduced from J. E. Richey, *Trans. Geol. Soc. Glasgow*, vol. xix, part i, 1932, Plate III. The photographs for Plates II-IV were taken by Messrs. D. M. Filshill and A. Ferguson).

FIGURES IN TEXT.

PAPER XII.	PAGE
Fig. 1.—Map of the Inverbeg-Rowardennan Dyke, with inset (on same scale) showing the Inversnaid Sheets	375

PAPER XIII.	
Fig. 1.—Index-map of Rhu (Row) Point	385
„ 2.—Section at high-water mark on the N.W. side of Rhu Point showing 25-foot gravels resting unconformably on morainic material (current bedded sands and gravels, and clays) ..	387
„ 3.—Map of the Firth of Clyde District showing the 'Position of the Latest Glaciers' according to James Anderson (see <i>Trans. Geol. Soc. Glasgow</i> , vol. x, part ii, 1896, Plate IV)	389

PAPER XIV.	
Fig. 1.—Graphs illustrating variation within the Midlothian Fifteen Foot Coal assemblage ..	395
„ 2.—Diagram illustrating parallelism in variation in the Bassy Mine and Fifteen Foot faunas ..	399

PAPER XV.

Fig. 1.—Section of part of the Productive Coal Measures in Auldnav Glen, near Dalmellington ..	405
„ 2.— <i>Carbonicola</i> , <i>Anthracomya</i> and <i>Naiadites</i> from the Zone of <i>A. modiolaris</i> in Auldnav Glen ..	407

PAPER XVI.

Fig. 1.—Diagram illustrating Farrington's theory of the formation of a conical meteorite (after Far- rington)	410
„ 2.—Outline of the Boogaldi Meteorite ..	410

PAPER XVII.

Fig. 1.—Map showing localities for fossils from Skipsey's Marine Band	418
„ 2.— <i>Homoceratoides jacksoni</i> . Suture-line ..	439
„ 3.— <i>Schweichengoceras yohi</i> . Suture-line ..	439
„ 4.— <i>Anthracoceras hindi</i> . Suture-line at 22 mm. diameter of paratype	439
„ 5.— <i>Anthracoceras hindi</i> . Suture-line at 8 mm. diameter of paratype	439
„ 6.— <i>Anthracoceras hindi</i> . Suture-line at 2 mm. diameter of specimen from West Fife ..	439
„ 7.— <i>Gastrioceras suborientale</i> . Suture-line ..	439
„ 8.— <i>Gastrioceras welleri</i> . Suture-line ..	439
„ 9.— <i>Dictyoclostus craigmarkensis</i> sp. nov. ..	445

PAPER XVIII.

Fig. 1.—Diagrammatic representation of the stresses set up in the hanging wall of a cone fracture ..	471
„ 2.—Sections across the Vredefort and Arran Domes	473
„ 3.—Diagrammatic section across the South-eastern Mull centre during the first general updoming	474
„ 4.—Plan and section of the Bandoeng Dome (Java) and the arc of folding at its northern foot ..	476
„ 5.—Ideal Complex of Ring-dikes and Cone-sheets in plan and section	477

	PAGE
Fig. 6.—Diagram showing the transition between ring-fracture stoping and piecemeal stoping ..	480
„ 7.—Dike-swarm as the result of crustal stretching without inversion of the density stratification	482
„ 8.—Map showing the distribution of the Tertiary Dike-swarms in relation to the Tertiary Plutonic Centres of the British Isles	483
„ 9.—Porphyritic dike cutting rhyolitic lavas of the Glen Coe Cauldron Subsidence	485
„ 10.—Diagrammatic section across south-eastern Mull in the stage of formation of a central volcano of Hawaiian type	486
„ 11.—Diagrammatic section across south-eastern Mull at the end of the first magmatic cycle ..	487
„ 12.—Diagrammatic section across the Loch Bà centre, Mull	489