

## INDEX.

	PAGE
Absence of Boulder-clay from Certain Localities, ... ..	106
,, Shells from Certain Localities, ... ..	109
Abstract, ... ..	117
Actinolite Boulder near Barskimming, Ayr Water (par. 60), ...	27
Advance and Retiral of the Glaciers, ... ..	92
Afton Water, Drift-section at 1100 feet and upwards on (par. 201),	79
,, Drift-section at 1350 feet on (par. 205), ... ..	81
Aikenhead, Fenwick Water, Drift-section at (par. 93), ... ..	37
Ailsa Craig, an Index to the Strength of the Last Glaciation, ...	100
Aird's Moss, Ayr Water, Shelly Boulder-clay in Gills at (par. 133),	51
Aldinna, Stinchar Water, Boulder-clay and Drums near (fig. 20, par. 114), ... ..	44, 45
Aldinna Burn, Line of Boulders in Till on (par. 142), ... ..	54
Allanton, Galston, Sand like Sea-sand at (par. 151), ... ..	57
Altmeig Burn, Ballantrae, Bent Silurian Rocks on (par. 101), ...	39
Alton Burn, Loudoun, Shelly Boulder-clay on (par. 57), ... ..	25
Annick Water, Gravel on Surface at 620 feet on (par. 148), ...	56
,, Shells in Dragged Clay on (par. 15), ... ..	8
App Water, Ballantrae, Stratified Boulder-clay on Side-gill of (fig. 23, par. 125), ... ..	48, 49
Arctic Shell-beds (pars. 1, 2, 5, 6, 8, 9, 10, 11, 12, 27, 32, 42), 2, 3, 4, 5, 6, 7, 13, 15, 20	
Ardneil Bay, West Kilbride, Boulder-clay with <i>Cyprina</i> at (par. 7),	4
Ardrossau, New Dock, Drift-section in (par. 4), ... ..	3
Arran Granite in Ayrshire, ... ..	112
Assloss, Kilmarnock, Shelly Boulder-clay at (par. 59), ... ..	26
Auchincruive, Ayr Water, Old Drift-scaur at (par. 30), ... ..	15
,, Shelly Drift at (par. 33), ... ..	15
Auldhouseburn, Muirkirk, Sand-pit near (fig. 32, par. 178), ...	70
Avon Water, Drift-section near Main Castle on (fig. 31, par. 173),	67
Balcamie, Girvan Water, Many Drums or Kames at (par. 54), ...	24
Ballantrae, Drift-drums near (par. 9), ... ..	6
Bannoch, Kilwinning, Boulder-clay Pebbles at (par. 41), ... ..	20
Barbeth, Gower Burn, Large Sand and Gravel Mound near (par. 164),	63
Bardoran, Coylton, Shells in Drift-drum at (par. 78), ... ..	32
Barr, Stinchar Water, Few Scaurs on River near (par. 114), ...	44
,, Laminated Clay in Bed of River at (par. 62),	27

	PAGE
Barskimming, Ayr Water, Shelly Boulder-clay at (par. 60), ...	26
„ Actinolite Boulder near (par. 60), ... ..	27
Barturk, Lugar Water, Shelly Drift on (par. 83), ... ..	34
Beach, Old, at Bannoch, Kilwinning, 120 feet above s.l. (par. 41),	20
Beith, Old Land-surfaces between Boulder-clays at (par. 73), ...	30
Bellman Burn, Ballantrae, Drift-section on (par. 14), ... ..	8
“Bell’s Plantin’,” Kilwinning, Drift-sections in (par. 19), ... ..	10
Bench in the Ponesk Valley, at about 1300 feet, ... ..	119
Bennane Burn, Ballantrae, Shells under and in Boulder-clay on (par. 9),	5
„ Hillside, “Strill Well” on (par. 63), ... ..	27
“Billion Scaur,” on Guelt Water (par. 189), ... ..	75
Billions in Sandy Mud, on Whitehaugh Water, Muirkirk (par. 146),	55
Black Clachrie Burn, Cree Water, Drift-drums near (fig. 21, par. 116),	45
Black Sandstone in Drift, on Darvel Railway, ... ..	90
Blacklaw, Annick Water, a Prominent Felstone Hill (par. 149), ...	56
Blacklaw Cottage, Shelly Boulder-clay near (par. 134), ... ..	51
„ Black Gravel near (par. 135), ... ..	51
Blackshaw Burn, West Kilbride, Red Boulder-clay on White Sand- stone in (par. 115), ... ..	45
Black Water, Ochiltree, Line of Boulders in Till on (fig. 26, par. 155),	58
Blair, Dalry, Drift-section at (par. 46), ... ..	22
Blair Farm, Duisik Water, Laminated Clay at (fig. 11, par. 81), ...	33
Blocks, Surface, ... ..	107
„ Travelled, ... ..	88
Bogside Pit, Irvine, Fossiliferous Beds in (par. 2), ... ..	3
Boreland, Old and New Cumnock, Large Sand and Gravel Hillock at (par. 150), ... ..	56
Boulder on End near Largs (fig. 5, par. 36), ... ..	17
Boulder-clay, Absence of, from Certain Localities, ... ..	106
„ Boulders <i>versus</i> Glacier Boulders, ... ..	96
„ Gravel, Sand, &c., Deposition of, ... ..	87
„ Highest observed, ... ..	83
„ in the Stratified Sand-beds, Patches of, ... ..	39
„ Nodules or Concretions of, ... ..	110
„ not a Ground Moraine, ... ..	86
„ not derived from Melting of Land-ice, ... ..	88
„ not formed under Present-day Glaciers, ... ..	105
„ Patches of Peat and Land-surfaces in, ... ..	110
„ Pebbles (par. 41), ... ..	20, 110
„ Rotted Pebbles in the, ... ..	90
Boulder-clays, Many Shelly, up to 1061 feet (par. 203), ... ..	80
„ Sands and Gravels in the, ... ..	89
„ The Glen, ... ..	104
„ Toughness and Hardness of the, ... ..	89
Boulders carried to High Levels, ... ..	97
„ Foreign to the County, ... ..	112

	PAGE
Boulders, from whence they have principally been derived? (fig. 36),	88
„ in Fine “Hour-glass” Sand (par. 86), ... ..	34
„ in Laminated Clay (par. 4), ... ..	3
„ Lines of (fig. 37 <i>a</i> ), ... ..	97
„ Split (fig. 47), ... ..	108
„ with Long Axes at Right Angles to Axes of Drums, ...	95
Boydstone, Ardrossan, Drift-section at (par. 21), ... ..	10
Bradán, Loch, View of (fig. 44), ... ..	107
Brae, Craufurdland Burn, Shelly Drift at (pars. 104, 105, 106), ...	40
Breakage of the Fossil Shells, ... ..	91
Bringan Mill, Craufurdland Burn, Shelly Drift near (fig. 8, par. 56),	25
Broadland, Annick Water, Shelly Pebbly-clay at (par. 112), ...	43
Broomhouse, Lugar Water, Shelly Lower Boulder-clay at (par. 77),	32
Brownhill, Muirkirk, a Hill of Sharp Stratified Sand (par. 178), ...	71
Burnock Water, Ochiltree, Nodules in Boulder-clay on (par. 155),...	59
„ Shelly Drift at (par. 108), ... ..	41
Burrows in sand under Boulder-clay (par. 76), ... ..	31
Byne Hill Burn, Girvan, Drum with Raised-beach Scaurs near (par. 55),	24
„ Section of Shelly Drift at (par. 58), ... ..	25
Caaf Water, Dalry, Gravel Drum with Laminated Clay (fig. 22, par. 118),	46
Carcow Burn, Afton Water, Thick Drift in (par. 184), ... ..	72
Carlock, Glen App, Clay in Gravel in Boulder-clay at (par. 103), ...	40
Carston, Lugar Water, Shelly Boulder-clay at (par. 84), ... ..	34
Carving of Drift by Glaciers and by Rivers, Difference of, ... ..	108
Carving of Gravel Drums, ... ..	104
Cassillis House, Doon Water, Shelly Boulder-clay near (par. 45), ...	22
Changue Burn, Gregg Water, Drift-section on (par. 162), ... ..	62
„ Lower, Thick Drift-beds in (par. 141), ... ..	54
„ Shelly Boulder-clay at Score Tulloch (fig. 27, par. 156),	59, 60
„ Upper, Drift-section on (par. 168), ... ..	64
Colmonell, Stinchar Water, Drift-section at (par. 38), ... ..	18
„ Moraines near (figs. 6, 7, par. 39), ... ..	18, 19
„ Sand- and Gravel-beds in Boulder-clay near (par. 39), ... ..	18
Concretions or Nodules of Boulder-clay, ... ..	110
Contorted Clay under Laminated Clay (fig. 12, par. 86), ... ..	34
Corsehouse, Annick Water, Drift-sections near (pars. 147, 148), ...	56
Corwar, Drift-drums near (fig. 40), ... ..	101, 102
Cowden Glen, Lugton Valley, Bones of Horse, Urus, and Irish Elk or Deer, found between Boulder-clays in (par. 119), ... ..	47
Coyle Water, Ayr Water, Drift-drums on (par. 92), ... ..	36
„ Shelly Boulder-clay on (par. 194), ... ..	76
Craig, Colmonell, Rents in Boulder-clay at (par. 44), ... ..	21
“Craig, The,” Newmilns, Boulder-clay on Laminated Mud and Sand at (par. 76), ... ..	31
Craigganochie, Muck Water, Drift-section near (par. 69), ... ..	29
Craig’s Burn and Montraw Burn, Afton Water, Boulder-clay on Col between (par. 210), ... ..	83

	PAGE
Cree Water, Great Series of Drift-drums on (fig. 21, par. 116), ...	45
Cross Water, Duisk Water, Drift-section on (par. 80), ...	32
Culzean Castle, Maybole, Sand and Gravel Mound near (par. 51), ...	24
Currarie, Ballantrae, Dark-red Clay under Boulder-clay (par. 25), ...	12
„ Glen, Shelly Drift in (par. 32), ... ..	15
Curving Striae, ... ..	96
Daljedburgh, Stinchar Water, Laminated Sandy Clay at (par. 114),	44
Darvel Railway, Sand and Gravel-sections on (pars. 85, 94), ...	34, 37
Dean Castle, Kilmarnock, Large Drift-scaurs at (par. 59), ...	26
Delta-like Patches of Drift at Various Altitudes, ... ..	103
Denuding Agent, The Sun a, ... ..	105
Deposition of 25-feet-, 40-feet-, and 60-feet-Beaches (fig. 48), ...	111
„ of the Boulder-clay, ... ..	87
„ of the Sea-drums, ... ..	92
Derntaggert, Black Water, Line of Boulders in Till at, (fig. 26, par. 155), ... ..	58, 59
Deugh Water, Rounded Hills at Source of (fig. 41),... ..	103
Dippal Burn, Muirkirk, Shelly Drift, up to 1061 feet in (par. 203),	80
Dipple Tile-work, Girvan, Shell-beds at (par. 10), ... ..	6
Dirrans, Kilwinning, Drift-section near (par. 11), ... ..	7
Dobbingston Glen, Kilkerran, Drift in (fig. 24, par. 140), ... ..	53
Doon Valley, Drift-section in (par. 126), ... ..	49
Dreghorn, Annick Water, Marine Shells near (par. 15), ... ..	8
Drift carved by Glacier Action (fig. 45), ... ..	108
„ carved by River Action (fig. 46),... ..	108
„ Carving by Rivers and by Glaciers, Difference of (figs. 45, 46),	108
„ Delta-like Patches of, at Various Altitudes, ... ..	103
„ denuded away to Rock-head by Glaciers, ... ..	105
„ Deposits, Range of (par. 2), ... ..	2
„ “Kettleholes” in the, ... ..	99
„ List of Fossils which occur in the, ... ..	120
„ Rocks acting as Shelters for, ... ..	102
„ Thick Deposits of, at Glendoune, south of Girvan (par. 53),...	24
Drift-beds, Arrangement of the,... ..	93
„ Complete Section of the, on Lugar Water (par. 122½) ...	48
„ Could Land-ice have deposited the,? ... ..	106
„ Formation of the, ... ..	84
Drift-drums at Montraw, Afton Water (fig. 39), ... ..	101
„ Large, near Enterkine (par. 50), ... ..	23
„ Large, north of Byne Hill, Girvan (par. 55), ... ..	24
„ near Corwar (fig. 40), ... ..	101, 102
„ on Euchar Water (fig. 43), ... ..	106
Drongan Mains, Coyle Water, Shelly Boulder-clay on (par. 92), ...	36
Drum, A Long, at Right Angles to Short Ones, ... ..	93
„ A Very Complete, on Gas Water, ... ..	76
„ Truncated by River, on Stinchar Water (fig. 40, par. 64), ..	28

	PAGE
Drums, The Carving of Gravel, ... ..	104
Drumahallen Burn, Ballantrae, "Book-leaf" Clay in Boulder-clay on (par. 61), ... ..	27
Drummuir, Dreghorn, Mammoth Remains and Arctic Shells at (par. 27),	13
Duisk Valley, Drift-drums in (pars. 81, 82), ... ..	33
Duisk Water, Blackness of (par. 81), ... ..	33
Dunnach Burn, Ballantrae, Drift-sections on (pars. 122 $\frac{1}{2}$ , 123, 124),	48
,, Laminated Clay shading into Boulder-clay on (fig. 31a, par. 174), ... ..	68
Dunton Water, Shelly Gravel under Boulder-clay on (par. 169), ...	65
Dupin Burn, Ballantrae, Drift-beds, on (par. 67), ... ..	29
Dykes of Sand in Boulder-clay (figs. 15, 19, pars. 97, 113), ... ..	38, 44
Earl's Burn, Kello Water, Absence of Mounds at (par. 207), ...	81
Earl's Seat Burn, Kello Water, Line in Boulder-clay on (fig. 35, par. 208),	82
Enterkine, Shelly Boulder-clay near (par. 50), ... ..	23
Euchan Water, Drift-drums on (fig. 43), ... ..	106
Fairlie, Glacial Shell-bed at (par. 6), ... ..	4
Fenwick Water, Drift-section near Aikenhead on (par. 93), ...	37
Fergushill, Drift-section at (par. 28), ... ..	14
Finnie Brae, Lugton Valley, Cross-section of Mound at (fig. 17, par. 109),	42
,, Cross-section of Valley at (fig. 18, par. 109), ... ..	43
,, Gravel Mound at (figs. 16a, 17, par. 109), ... ..	41, 42
Floating of the Icebergs, ... ..	92
Flood Period, The Old (fig. 38), ... ..	99
Foraminifera in the Boulder-clay, ... ..	2, 120
Ford of Moak Bay, Loch Doon, Boulder-mounds at (par. 161), ...	62
Formation of the Drift-beds, ... ..	84
Fossil Evidences of a Marine Submergence, ... ..	112
Fossil Shells, Breakage of the, ... ..	91
,, Frequent Occurrence of Certain (par. 211), ... ..	83
,, which have been identified (par. 212), ... ..	84
Fossils found in the Drift-beds, List of the, ... ..	120
,, of the Drift-beds, ... ..	83, 120
"Friction-quarrying" (fig. 37), ... ..	94
Gadgirth Bridge, Ayr Water, Shelly Boulder-clay near (par. 52), ...	24
Gamesloup, near Girvan, Peat in Boulder-clay at (fig. 2, par. 24), ...	11, 12
Garepool Burn, New Cumnock, Boulder-clay at 1500 ft. on (par. 209),	82
Garnock Water, Shelly Drift-beds near Dorrans, on (par. 11), ...	7
Garpel Water, Drift-sections on (pars. 182, 183, 191, 195), ... ..	72, 76, 77
Gas Water, Barite veins in Drift on (par. 198), ... ..	78
,, Drift-drum on (par. 193), ... ..	76
,, Drift-section on (par. 165, ... ..	63
,, Section with four Boulder-clays on (fig. 33, par. 185),	73
,, Scour with Boulders and Stones, at 1050 feet, on (par. 202),	79
Girvan, Drift-scaurs as Truncated Drums, north of (par. 9), ...	6
,, Dipple Tile Work, Fossil Shells in Clay at (par. 10), ...	6

	PAGE
Girvan, Harbour, Glacial Shell-bed in (par. 4), ... ..	4
,, Railway Station, Drift-section near (par. 70), ... ..	29
Glaciation, Ailsa Craig, an Index to the Strength of the Last, ...	100
,, Proofs of a Second, ... ..	100
Glacier Boulders <i>versus</i> Boulder-clay Boulders, ... ..	96
Glaciers, Advance and Retiral of the, ... ..	92
,, have denuded away the Drift to the Rock-head, ... ..	105
,, No Boulder-clay formed under Present-day, ... ..	105
Glen App, Ballantrae, Gravel under Boulder-clay in (par. 68), ...	29
Glen Water, Darvel, Shelly Boulder-clay on (par. 121), ... ..	47
,, Fine clay under Boulder-clay at (par. 181), ... ..	72
Glen Boulder-clays, The, ... ..	104
Glen Burn, Fairlie, Drift-section on (par. 117), ... ..	46
Glendoune, Girvan, Sand and Gravel in Boulder-clay near (par. 53),	24
Glengavel Waterworks, near Muirkirk, Drift-section at (par. 159),	61
Glenlogan House, Ayr Water, Shelly Boulder-clay at (par. 99), ...	39
Glenmore Valley, Shelly Clay in (par. 160), ... ..	62
,, Water, Drift-section on (par. 192), .. ..	76
Glenshalloch, New Cumnock, Drift at 1000 to 1500 feet, near (par. 199),	79
Gogo Water, Largs, Drift-sections on (pars. 20, 43),... ..	10, 21
Gourock Burn, West Kilbride, Red Boulder-clay on Whitish Sand- stone in (par. 22), ... ..	11
Gowanbank, Newmilns, Boulder-clay on and against Sand-beds at (fig. 14, par. 96), ... ..	38
Gower Burn, Galston, Thick Drift-beds on (par. 90), ... ..	36
Granite, Arran, in Ayrshire, ... ..	112
Greenock Valley, Ayr Water, Shelly Boulder-clay in (par. 133), ...	51
Gregg Water, Barr, Drift-sections on (fig. 28, pars. 141, 168), ...	54, 64, 65
Greenock Water, Muirkirk, Shelly Clay in (fig. 25, par. 154), ...	57, 58
Greta Water, Largs, Drift-section on (par. 43), ... ..	21
Guelst Water, Old Cumnock, "Billion Scaur" on, ... ..	75
,, Boulder-clays in Upper Reaches of, from 950 to 1260 feet (par. 197), ... ..	78
,, High Drift-sections, with Rippled-marked Sand, on (pars. 186, 187), ... ..	73
,, Highest Sand-bed on (par. 197), ... ..	78
,, Scaurs on (fig. 34, par. 188), ... ..	74
,, Shelly Boulder-clay on (pars. 177, 190), ... ..	69, 75
Haw Burn and Polgowan Burn, Large Drift-drums on (par. 82), ...	33
Hawhill Glen, Largs, Drift-section in (par. 20), ... ..	10
Heatherhouse Pit, Irvine, Drift-beds in (par. 3), ... ..	3
High Holehouse, Ayr Water, Shelly Drift-sections at (par. 110), ...	43
High Molmont, Galston, Sand-beds and Sand-drums at (par. 100),	39
Hill Scaur facing the East, ... ..	95
Hill slopes <i>moutonnées</i> (fig. 42, par. 37), ... ..	17, 104
Hills slope steeply to the West, The, ... ..	111

	PAGE
Hindog, Dalry, Drift-section at (par. 66), ... ..	29
Hole Burn, Sorn, Shelly Boulder-clay at (pars. 166, 167), ... ..	64
Hollow in Drift near Rankinston, Coyle Water (par. 194),...	77
Horse, Bones of, &c., between Boulder-clays at Cowdenglen (par. 119),	47
Horsehill, Craufurdland Burn, Eight Sand-dykes in Boulder-clay at (fig. 15, par. 97), ... ..	38
How of the Laggan, Barr, Drift-section in (fig. 28, pars. 168, 179),	64, 65, 71
,, High Scaurs on (par. 180), ... ..	71
,, Original Ground Moraine in (par. 168), ... ..	64
Ice, Pressure that melts, ... ..	104
,, Weight of the, causing Subsidence, ... ..	100
Icebergs, Floating of the, ... ..	92
Irish Elk or Deer, &c., Bones of, found between Boulder-clays at Cowdenglen (par. 119), ... ..	47
Irvine Water, near Loudoun Hill, Drift-section on (par. 158), ... ..	60
Kaimes, Muirkirk, Remnants of Drift-beds at (par. 177), ... ..	70
Kame near Culzean Castle (par. 51), ... ..	24
Kello Water, Absence of Mounds at 1450 feet on (par. 207), ... ..	81
,, Drift-section, at 1350 feet, on (par. 206), ... ..	81
,, Fine Drift-scenery on (par. 204½), ... ..	80
“Kettleholes” in the Drift, ... ..	99
Kilkerran Castle, Dobbingston Glen, Magnificent Drift-section near (par. 140), ... ..	53
Killochan, Girvan Water, “Baron’s Stone,” a great Boulder near,	108
Kilwinning, Drift- and Shell-beds at (par. 23), ... ..	11
Kirkdandy, “Strill” Well near (par. 63), ... ..	27
Kirkland, Stinchar Water, Truncated Drum near (fig. 9, par. 64),	28
Kirkpatrick, Stinchar Water, Laminated Clay in River-bed at (par. 62), ... ..	27
Knockclaugh, Lendal Burn, Conglomerate in Boulder-clay at (par. 71),	30
Knockskae, Rock-drums at (fig. 42), ... ..	104
Labén Spring, near Darvel (par. 156), ... ..	59
Ladyland Moor, Split Boulder on (fig. 47), ... ..	108
Laggan, Ballantrae, Laminated Clay in Section near (par. 14), ... ..	8
Laigh Braidlie, Glen Water, Shelly Boulder-clay at (par. 137), ... ..	52
Laighland, Ayr Water, Drift-section near (par. 18), ... ..	9
Laminated Clay between two Boulders on Duisck Water (fig. 11, par. 81), ... ..	33
Land-ice, Could it have deposited the Drift-beds? ... ..	106
Land Surfaces in Boulder-clay, Patches of Peat and, ... ..	110
Largs, Conglomerate Block near Waterworks (par. 36), ... ..	17
Lendal Valley, Girvan, Gravel Deposits in (par. 29), ... ..	14
Levels at which Marine Shells have been found in the Drift-beds,	113
Lines of Boulders in the Drift-beds (figs. 26, 37a, par. 155),	58, 59, 97
Little Shalloch, Muck Water, Drift-sections near (pars. 143, 144, 145), ... ..	54, 55

	PAGE
Loch Bradan, View of Rock-drums at (fig. 44), ... ..	107
Loch Doon, Moraines with Angular Boulders on Ford of Moak Bay (par. 161), ... ..	62
Longhouse, Lugar Water, Complete (?) Drift-section resting on Rock, with Shelly Boulder-clays, at (par. 122 $\frac{1}{2}$ ), ... ..	48
Loudoun Hill, Section on Irvine Water opposite (par. 158), ..	60
Lucknow Pit, Stevenston, Fossiliferous Beds in (par. 2), ... ..	3
Lugar, Pelican-foot Shell from Pit at (par. 131), ... ..	51
Lugton Valley, No Shells found in (par. 40), ... ..	19
„ Sand and Gravel Mound at Finnie Brae (par. 109), ... ..	41
„ Water, Varying Striæ on Rock at Waterland (fig. 13, par. 89), ... ..	35, 36
Magilligan, North of Ireland, Shell-mounds at (par. 7), ... ..	4
Mainholm, Ayr Water, Drift-section at (par. 13), ... ..	7
Mammoth Bed at Woodhill, Kilmaurs (par. 42), ... ..	20
Manganese-stained Gravel on Merkland Burn (par. 129), ... ..	50
Marine Shells have been found in the Drift-beds, Levels at which,	113
Mark Farmhouse, Muck Water, Drift-section near (par. 122), ... ..	47
Martin Glen, Skelmorlie, Greywacke Boulder in (par. 16), ... ..	9
Meikle Burn, Skelmorlie, “The Serpent Mound” at (par. 16), ... ..	9
Merkland Burn, Sorn, Drift-section on (par. 129), ... ..	50
„ Shelly Boulder-clay in (pars. 129, 152, 157),	50, 57, 60
Mid Bogside, Beith, Moraine Mound at (par. 95), ... ..	37
Mill Farm, Ardrossan, Stratified Boulder-clay and Sand Beds at (par. 48), ... ..	23
Milton, Ayr Water, Shelly Boulder-clay at (par. 49), ... ..	23
Minnunchian, Stinchar Water, Drift-section near (par. 63), ... ..	27
Misk Pit, Stevenston, Fossiliferous Beds below Sea-level at (par. 1),	2
Montraw, Afton Water, Drift-drums at (fig. 39), ... ..	101
Moraine on Avon Water (fig. 31, par. 173), ... ..	67
„ on Polreoch Burn (fig. 30, par. 171), ... ..	66
Moraines near Colmonell (figs. 6, 7, par. 39), ... ..	18, 19
„ of Angular Greywacke Boulders, Loch Doon (par. 161), ..	62
Mounds or Drums, Causes of the Formation of (par. 207), ... ..	81
Muck Water, Barr, Drift-sections on (pars. 143, 144, 145), ... ..	54, 55
„ Dalmellington, Boulder-clay at (par. 138), ..	52
Mud with Boulders at Newmilns (par. 75), ..	31
Muirfoot Burn, New Cumnock, Shelly Boulder-clay at (par. 176A),	69
Muirkirk, Drift-section on Railway near (fig. 32, par. 178),	70, 71
„ Remnants of Drift-beds near (par. 177), ... ..	70
„ Sand and Gravel under Boulder-clay at (par. 172), ... ..	66, 67
Nether Heiler Farm, Sorn, Shelly Boulder-clay at (par. 131), ... ..	51
Newhouse, Dalry, Drift-section near (fig. 3, par. 26), ... ..	12, 13
Newmilns, Boulder-clay “Craig” at (pars. 44, 76), ... ..	22, 31
„ Burrows in Sandy Strata near (fig. 10, par. 76), ... ..	31
„ Drift-sections near (fig. 12, pars. 65, 76, 85, 86), ...	28, 31, 34



	PAGE
Newmilns, Gravel, Sand and Mud-section near (par. 94), ... ..	37
Noddle Water, Largs, Drift-section with Peat on (par. 37), ... ..	17
Noddsdale, Sections with Red Till in (pars. 31, 35, 36), ... ..	15, 16, 17
,, Truncated Drum in (fig. 4, par. 35), ... ..	16
Nodules or Concretions of Boulder-clay, ... ..	110
Ochiltree, Burnock Water, Shelly Boulder-clay at (pars. 87, 108),	35, 41
Old Cumnock, Glaisnock Water, Drift-section near (par. 91), ... ..	36
Old Valleys, ... ..	98
Original Ground Moraine (fig. 23, pars. 80, 125), ... ..	32, 33, 48, 49, 86
Patrick Burn, Muirkirk, Peat and Shells in Till on (par. 204), ... ..	80
Pavour Burn, Dumfriesshire, Drift-section on (par. 163), ... ..	63
Peat and Land Surfaces in Boulder-clay, Patches of, ... ..	110
,, between Gravel-beds on Noddle Water (par. 37), ... ..	17
,, in Boulder-clay at Gamesloup (fig. 2, par. 24), ... ..	11, 12
,, in Sand under Boulder-clay on Guelt Water (par. 188), ... ..	74, 75
Peat-beds in the Raised-beaches, ... ..	113
Pebbles of Boulder-clay, ... ..	110
Pennyfadzeoch, Lugar Water, Shelly Boulder-clay near (par. 88),	35
Penwhapple Burn, Dailly, Drift-drums on (fig. 29, par. 170), ... ..	65, 66
,, Glen, Drift-drums on (par. 107), ... ..	41
Pinvalley, Stinchar Water, Drift-drums near (par. 114), ... ..	44
,, and Aldinna, Drift carved into Drums between (par. 114),	44
Plants, Shore, at High Levels, ... ..	112
“Plucking,” “Friction-quarrying,” and “Suction-haulage,” (fig. 37),	94
Polbath Burn, Fenwick, Shells in Dragged Till on (par. 111), ... ..	43
Polquhirter Burn, New Cumnock, Drift-section with 3 Boulder-	
clays on (par. 196), ... ..	77, 78
Polroch Burn, Straiton, A Chain of Drums on (fig. 30, par. 171),	66
Ponesk Water, Conglomerate in Drift on (not mentioned in paper)	
Portincross, Great 25-beach Cliff at Goldenberry Head near, ... ..	111
Pow Burn, Monkton, Arctic Shell-bed on (par. 26½), ... ..	13
Pressure that melts Ice, ... ..	104
Railway Cuttings in Drift south of Girvan Station (par. 53, 70), ... ..	24, 29
Raised-beaches, 40-feet and 60-feet, partly deposited on Rising	
Ground, and the 25-foot Beach on a Cut-out	
Platform (fig. 48), ... ..	111
,, Peat-beds in the, ... ..	113
Rankinston, Coyle Water, Hollow in Drift at (par. 194), ... ..	76, 77
Robertland Farm, Annick Water, two Sand-dykes in Boulder-clay	
near (par. 113), ... ..	44
Rock acting as Shelters for Drift, ... ..	102
Rock-drums at Knockskae (fig. 42), ... ..	104
,, at Loch Bradan (fig. 44), ... ..	107
Rocks, Weathering of the, ... ..	109
Rotted Pebbles in the Boulder-clay, ... ..	90
Rotted Rock, .. ..	85

	PAGE
Rounded Hills (fig. 41), ... ..	103
Sand-dykes in Boulder-clay, Eight (fig. 15, par. 97), ... ..	38
Sands and Gravels, Fossiliferous (pars. 9, 60, 72), ... ..	5, 26, 30, 90
Sandstone, Black, ... ..	90
Scars on Guelt Water (fig. 34, pars. 175, 176, 177, 186, 187, 188, 189, 190, 197), ... ..	69, 73, 74, 75, 78
Score Burn, Newmilns, Drift-section on (par. 65), ... ..	28
Score Tulloch, Galston, Shelly Boulder-clay at (par. 156), ... ..	59
,, Spring and Labén Spring, Galston (par. 156), ... ..	59
Scratched Shells (par. 160), ... ..	62, 109
Sea creeping into the Valleys, The, ... ..	93
Sea-drums, Deposition of the, ... ..	92
Sea-weeds lifting Stones, ... ..	98
,, Striæ produced by the Action of, ... ..	96
Second Glaciation, Proofs of a, ... ..	100
Seeds of Freshwater Plants in Hollows of Mammoth Tusks at Drummuir (par. 27), ... ..	13, 14
“Serpent Mound” at Skelmorlie, The (par. 16), ... ..	8, 9
Sevenacres Quarry, Kilwinning, Shell-bed between Boulder-clays at (par. 47), ... ..	22
Shells, Absence of, from Certain Beds, ... ..	109
,, Breakage of the, ... ..	91
,, How they may have been preserved, ... ..	91
,, Scratched, ... ..	109
,, Striated, in Drift in Glenmore Valley, near Dorual (par. 160), ,,	62
Shewalton, Raised-beach Base-beds near (par. 7), ... ..	4, 5
Shore Plants at High Levels, ... ..	112
Skelmorlie Glen, Drift-beds in (par. 16), ... ..	8
,, Stone-capped Clay Columns in (fig. 1, par. 16), ... ..	8
Slackshaw Burn, Drift-section on (pars. 182, 183), ... ..	72
Slot Burn, near Seggholm, Sand under Boulder-clay at 1005 feet in (par. 200), ... ..	79
Smithston, Kilwinning, Drift-section at (par. 17), ... ..	9
Sorn, Ayr Water, Shelly Pebbly-clay near (par. 127), ... ..	49
Split Boulders (fig. 47), ... ..	108
Stair House, Ayr Water, Shelly Sand between Boulder-clays at (par. 72), ... ..	30
Star-fish Plates in Clay on Guelt Water (par. 177), ... ..	69
Stinchar Water, 40-feet Beach-beds carved by the Waves of the 25-feet Beach, near Mouth of (fig. 48), ... ..	111
Stones and Boulders lying at Right Angles to Streams, ... ..	95
,, Standing on End (fig. 5, par. 36), ... ..	17, 95
Striæ, Curving, ... ..	96
,, on the Same Rock in Different Directions (pars. 89, 174), ... ..	35, 68
,, produced by the Action of Seaweeds, ... ..	96
“Strill” Wells (par. 63), ... ..	27

	PAGE
Submergence, Physical Evidences of a Marine, ... ..	113
“Suction-haulage,” ... ..	94
Sun, a Denuding Agent, The, ... ..	105
Surface Blocks, ... ..	107
Swansie Burn, near Robertland Castle, 60 feet of Boulder-clay on (par. 120), ... ..	47
Swinlees, Dalry, Gravel Mound at (par. 79), ... ..	32
Tayburn, Hareshawmuir Water, Shelly Boulder-clay near (par. 132),	51
Temperature of the Water, ... ..	93
Thirdpart, Lugar Water, Sand between Boulder-clays at (par. 88),	35
Torr, River Doon, Gravel-drum or “Tor” at (par. 74), ... ..	30
Tourgill, Twirrel, or Castle Hill, a <i>Roche moutonnée</i> in Noddsdale (par. 35), ... ..	16, 17
Tower, Doon Water, Shelly Boulder-clay at (par. 45), ... ..	22
„ Three Boulder-clays at (par. 45), ... ..	22
“Trail Island,” Little Cumbrae, Split Boulder on, ... ..	109
Tralorg Burn, Penwhapple Glen, Drift-drums on (par. 107), ... ..	41
Travelled Blocks, ... ..	88
Troon, Glacial Shell-bed at (par. 8), .. ..	5
Truncated Drift-drum in Noddsdale (fig. 4, par. 35), ... ..	16
Urus, Bones of, &c., found between Boulder-clays at Cowdenglen (par. 119), ... ..	47
Valleys, Old, ... ..	98
Vegetation in Sand under Boulder-clay on Guelt Water (par. 188),	74, 75
Warrix, Irvine Water, Arctic Shell-bed near (par. 12), ... ..	7
Warwickhill, Dreghorn, Glacial Shells under 78 feet of Boulder-clay at (par. 34), ... ..	15
Water, Temperature of the, ... ..	93
Waterland, Lugton, Shale-fragments in Boulder-clay at (par. 40), ...	19
„ Striæ in Varied Directions on Rock-surfaces at (fig. 13, par. 89), ... ..	35, 36
Waterside, Craufurdland Burn, Shelly Boulder-clay at (par. 98), ...	39
Watstone Hill, Avon Water, Great Moraine Rubbish Mounds on (par. 173), ... ..	68
Weathering of the Rocks, ... ..	109
Weight of the Ice causing Subsidence, ... ..	100
Wells, “Peasewep” and “Whiskey,” near Kilwinning, ... ..	10
„ “Strill” on Bennane Hillside, and at Kirkdandy (par. 63),	27
West Clanfin, Craufurdland Burn, Drift-section at (par. 128), ...	49
Westown Burn, Sorn, Shelly Boulder-clay on (par. 139), ... ..	52
Whitehaugh, Ayr Water, Drift-section on (par. 153), ... ..	57
„ Shelly Boulder-clay near (pars. 133, 146), ... ..	51, 55
Whiteholm Scaur on Guelt Water (par. 177), ... ..	69
Whitelee, Annick Water, Drift-section at (par. 130), ... ..	50
“Windy Wizen, The,” a Dry River Channel, at 700 feet (par. 158),	60
Woodhill, Kilmaurs, Mammoth Remains found at (par. 42), ... ..	20

## AUTHORS, &amp;c., REFERRED TO.

	PAGE		PAGE
Agassiz, Prof. Louis, ...	96	Geological Survey, 5, 13, 24, 39,	60, 61
Bean, Mr., ... ..	91	<i>Glacialists' Magazine</i> , ...	20
Belt, Mr., ... ..	97	Hopkins, Mr., ... ..	112
Bennie, Mr. James, 11, 12, 14, 17,	75, 121	Jeffreys, Dr. Gwyn, ...	91
Blackwood, Bailie James,	112	Lewis, Dr. H. Carvell, ...	62
<i>British Association Report</i> ,	90	<i>Liverpool Geological Society</i> ,	
Bryce, Dr. James, ... ..	20	<i>Proceedings</i> , ... ..	20, 121
Chalmers, Mr. C. B., ...	70	Lubbock, Sir John, ...	64
Craig, Mr. Robert, 1, 13, 14, 20,	22, 29, 30, 47, 110	Mearns, Rev. P., ... ..	71
Croll, Dr. James, ... ..	121	Miller, Dr. Hugh, ... ..	4
Crosskey, Rev. Dr. W. H.,	6	Müller, Dr. Max, ... ..	10
Darwin, Dr. Charles, ...	98	Reade, Mr. T. Mellard,	20, 67, 120, 121
Davis, Mr., ... ..	20	Robertson, Mr. Alexander,	20
Dunlop, Mr. Robert, ..	41, 50	Robertson, Dr. David,	2, 6, 7, 87
Forsyth, Dr. David, ...	4	<i>Royal Physical Society, Pro-</i>	
Geikie, Sir Archibald, ...	1, 55	<i>ceedings</i> , ... ..	121
Geikie, Dr. James, ...	1, 36, 52, 89	Smith, Dr. James, of Jordan-	
<i>Geological Magazine</i> ,	.. 88, 122	hill, ... ..	96, 108, 113, 121
<i>Geological Society of Glasgow</i> ,		White, Mr. F., ... ..	1, 2
<i>Transactions</i> , 3, 5, 6, 7, 9,		Winchell, Prof., ... ..	20
11, 12, 13, 14, 15, 22, 29,		Whyte, Mr. A. W., ... ..	1
30, 41, 47, 51, 55, 59, 87,		Wright, Mr. Joseph, ..	120
90, 94, 96, 102, 104, 112.		<i>Yorkshire Geological and Poly-</i>	
<i>Geological Society, Quarterly</i>		<i>technic Society's Proceed-</i>	
<i>Journal</i> , ... ..	98, 112	<i>ings</i> , ... ..	50
		Young, Dr. John, ... ..	14

## ERRATA.

Page 7, line 1, for *Dinans* read *Dirrans*.

„ 91, „ 6, „ *Mr. Gwyn Jeffreys* read *Dr. Gwyn Jeffreys*.