

## INDEX TO VOLUME XIX.

---

- Aberdeenshire, Cretaceous boulders in, 163, 218.
- ABSALOM, R. G., on Floral Zones in the Scottish Coal Measures (abstract), 509-10; *see also under* LEITCH, D.
- Accounts for 1931-1936, Abstract of, 515 *seq.*
- Actinozoa from the Craighead Limestone, 366-7.
- ADAM, D., 503.
- Ailsa Craig, 53, 91.
- Albitisation, 468, 511.
- Algoma Meteorite, 409, 411.
- ALLISON, A., 502.
- Allt na Cuile Sandstones, 159, 203, 209.
- Analyses: banded constituents of coal, 280; Ben Cruachan granite, 378; marginal granite intrusions, Ben Nevis, 257-8.
- Andalusite in xenoliths in lamprophyre, 380, 383.
- ANDERSON, E. M., theory of formation of ring-fissures, 128-9, 134, 139, 475.
- , JAMES, 387, 388.
- , J. G. C., 513; on the Metamorphic and Igneous Rocks of Ben Cruachan (abstract), 508; on the Marginal Intrusions of Ben Nevis, etc., 225-69.
- J. G. C., and G. W. TYRRELL, on Xenolithic Minor Intrusions in the Loch Lomond district, 373-84.
- W. C., 509.
- Annan Red Sandstone, 164.
- Anthraxylon, 271, 273.
- Appinite as xenoliths in lamprophyre, 379, 382.
- , Ben Nevis district, 231, 233, 243, 247; petrography, 253-4.
- Suite, 251, 470, 507.
- Applecross, Lower Lias of, 170, 171, 172, 173, 178; Trias of, 166, 170.
- Ardassie Limestones, Brora, 159, 205, 207-9, 210.
- Ardnamurchan, dykes of, *see* 52, 126, 127.
- , Mesozoic rocks of, 159; Great Estuarine Series, 197; Inferior Oolite, 191, 192-3; Lower Lias, 171, 172, 174, 175-6, 179-80; Middle Lias, 184, 185; Trias, 165, 166, 175; Upper Lias, 184, 189-90.
- , Tertiary Ring Structures of, 50, 55-9; *see also* 51, 52, 53, 54, 66, 75, 84, 107, 117-23 *passim*, 129-33 *passim*.
- Ardwell Group, 290, 292, 293, 294.
- Arran Dyke-swarm, 52, 87, 134, 266, 502, 507.
- : Mesozoic Rocks in vent-agglomerate, 91, 169, 171, 172, 174, 220; Permo-Trias, 164-5.
- : Tertiary Ring Complexes, 50, 51, 86-94, *and see also* 52, 53, 54, 117; Central Ring Complex, 51, 87, 91-4, 118, 119; Northern Granite, 50, 87, 89-91, 119, 473, 474; sills, 51, 87-8, 480.
- Arrochar Igneous Complex, 379, 383, 384.
- Ashgillian, 290, 291, 301, 304, 372.
- Asthenoliths, 463; characters and origin of, 464-8.
- and Batholiths of Scotland, 468-70.
- Auchenhew sandstones, Arran, 165.
- Aultbea, 167.
- BAILEY, E. B., 501, 509; elected President, 502; note on albitisation, 511; on the Caledonian Chain in Scandinavia and Scotland (Presidential Address, abstract), 512.
- Balclatchie (Balclatchie) Group, 290, 341, 342, 503; fauna of, *see references* 344-66 *passim*, especially 357-8.

- Ballachulish Granite, 470.  
 — Limestone, 226, 233.
- BALSILLIE, D., 513.
- BANCROFT, B. B., 310, 319, 320; on the Descent of Genera in Cryptolithinae, 333-4.
- Banded Constituents of Coal, 270-84.
- Bandoeng Dome, Java, 475.
- Banffshire, Cretaceous boulders in, 218.
- Barren Flagstone Group (Craighead-Glenshalloch Inlier), 290, 291, 293, 294, 295, 301.
- BARRETT, B. H., 500, 507.
- Batholiths, Astenoliths and, of Scotland, 468-70.
- BEGG, J. L.: elected President, 512; on the Fauna of the Craighead Limestone (abstract), 503; *see also under* WRIGHT, J.
- Beinn na Caillich, Skye, 50, 69, 70, 76-7, 79, 119.
- BEMMELEN, R. W. VAN, on the Cause and Mechanism of Igneous Intrusion, 453-92.
- Ben Cruachan, 378, 508.  
 — Ledi Grits, 373, 512; as xenoliths in lamprophyre, 379, 382, 384.  
 — Nevis Dyke-swarm, 225, 246, 247-9, 266-7, and *see also* 479, 480; petrology, 259-62.  
 — Granite, 470, and *see following item*.  
 —, Marginal Intrusions of, 225-44, 262-4, 267-8, and *see also* 118; analyses, 257-8; petrology, 249-55.  
 — Starav, 470.
- Boogaldi Meteorite, 411.
- Brachiopoda from the Craighead Limestone: affinities of species, 344-59; list of species, 342-4.  
 — from the Lower Drummuck Group, 297-8; description of new forms, 308-17; list of species, 299.  
 — from Skipsey's Marine Band: description of species, 420-4, 442-8; list of species, Table facing p. 419.
- Brachyprion matutinum* sp. nov., description of, 308-10.
- Brito-Icelandic Tertiary Province, 127, 128, 471.  
 "Broadford Beds." *See* 172, 174, 178.
- Brora, 162, 200, 201, 203, 204, 209, and *see following items*.  
 — Arenaceous Series, 202, 205-6, 207.  
 — Argillaceous Series, 202, 205.  
 — Coal, 200, 202, 204.
- BROWN, H. J. W., on the Dykes of the Kildonan-Bennan Foreshore (abstract), 507.
- Bunter, 165.
- Caithness, Cretaceous boulders in, 217, 218.
- Calderas, 61, 467.  
 — of subsidence: Arran, 90, 91; Mourne Mountains, 114-5; Mull, 61, 62, 66, 123; relation to ring-dykes, *see especially* 117, 123-4, 131-3, 477, 479; *see also under* Cauldron-subsidences.
- Calymena* cf. *meeki*, description of, 325-6.
- CAMPBELL, R., 505, 509.
- Caradocian, 290.
- Carlingford: Dyke-swarm, 95, 102-3; Tertiary Ring Complex, 51, 94, 95, 102-8, 119, 120, 131.
- Carnegie Trustees for the Universities of Scotland, 267, 326, 419.
- Cauldron-subsidences: Ben Nevis, 226; Glen Coe, 115, 123, 132, 264, 484; Newry (Ireland), 127; *see also under* Calderas of subsidence.
- Cause and Mechanism of Igneous Intrusion, 453-92.
- Cenomanian. *See* Greensand.  
 — Transgression, 163, 217.
- Cephalopoda from Skipsey's Marine Band: description of species, 435-41; list of species, Table facing p. 419.
- Chalk: in Arran vent-agglomerate, 91, 220; in boulder clay, 163, 216, 218-20; in Mull and Morvern, 163, 216, 217, 221, 222.

- Chonetes hardrensis* var. *skipseyi* var. nov., description of, 420-4.  
 — sp. nov., description of, 424.  
 Clarain, 271-83 *passim*.  
 Clouded feldspars, 254-5.  
 Clyneleish Sandstone, 206, 207.  
 Coal, Banded Constituents of: chemical and microscopic examination, 276-9; chemical constitution and economic significance, 279-84; physical characteristics, 270-6.  
 — Survey Laboratory, Glasgow, 279.  
 COCKBURN, A. M., 44, 54, 83-6 *passim*.  
 Coille Lianachain Complex, 225, 228, 229, 231, 264-5, 268; dykes, 248-9, and *see* 259-62, 266; field description, 244-7; petrology, 249, 255-6.  
 Colintraive Earthquake (1927), 2, 29-37; origin of, 39-40.  
*Colpospongia lineata* gen. and sp. nov., description of, 307-8.  
 Composite intrusions, 49, 138; cone-sheets, 62, 122, 125; sills, 77, 79.  
 CONACHER, H. R. J., on Kettle-holes near Connel Ferry, 152-7.  
 Cone-shaped Meteorites, Orientation of, 409-12, 511.  
 Cone-sheets: Ardnamurchan, 50, 55, 59, 118, 119, 120, 122, 123, 129, 130, 131; Carlingford, 51, 102, 104, 107, 120, 131; Mull, 50, 61-7 *passim*, 118, 120, 122, 123, 125, 130, 131, 486, 488; Rum, 50, 81, 120; Skye, 50, 69, 70, 71-3, 74, 75, 120, 122, 123, 131.  
 Cone-sheets and ring-dykes: characteristics of, 47, 117-28; problems of intrusion of, 128-39, 472, 475-80.  
 Conodonts from Skipsey's Marine Band: description of, 431-4; list of, Table facing p. 419.  
 Contact alteration of feldspars, 254-5.  
 Corallian in Scotland, 159, 162, 202, 203, 207-10; *see also* 198, 199, 217, 223.  
 Cordierite in xenoliths in lamprophyre, 380, 383.  
 Corkerhill, Glasgow, excavations at, 503-4.  
 Cornbrash in Scotland, 162, 196, 199, 200, 202.  
 Corundum in xenoliths in lamprophyre, 380, 381, 383.  
 CRAIG, R. M., 508.  
 Craighead-Glenshalloch Inlier, table of strata in, 289-90.  
 Craighead Hill, 289, 291, 292, 293.  
 — Limestone, 290, 291, 292; palaeontological evidence of the age of, 340-72, and *see also* 502-3.  
 Cretaceous in Scotland, 91, 159, 163, 216-223.  
 "Crinoid Bed" of the Craighead-Glenshalloch Inlier, 290, 296, 297, 298; fossils from, *see* 306, 309, 312, 314, 316, 318.  
 Crustacea from Skipsey's Marine Band, 430-1.  
*Cryptolithus portlockii* var. *girvanensis*, description of, 317-21.  
 Cuillin Hills, 50, 69, 70, 71-5, 120; *see also* 81, 122, 124, 131, 137.  
 CURRIE, Miss E. D., on the Fauna of Skipsey's Marine Band, 413-35; on the Henbury Meteorite Craters (abstract), 505.  
*Cyathaspis rotunda* sp. nov., description of, 321-3.  
 — sp. nov.?, description of, 324-5.  
 Dating of the Ice Age in Scotland, 335-9.  
 DENNIS, R. W., 506.  
*Dictyoclostus craigmargensis* sp. nov., description of, 442-6.  
 — *retiformis* sp. nov., description of, 426-7.  
*Dilhyrocaris* sp., description of, 430-1.  
 Donegal slates, cleavages in, 503.  
 DRON, R. W., Obituary Notice of, 496-7.  
 Drumlins of Glasgow, 285-7.  
 Drummuck Group, Girvan, a Stratigraphical Revision of the, 288-332; correlation with other areas, 301-5; description of new fossils from the Lower Drummuck

- Beds, etc., 305-326; divisions and fauna, 295-301; previous research, 291-2; relations to older formations, 292-4; relations to younger formations, 294-5.
- Dumfriesshire, 500; Permo-Trias of, 164.
- DUNCAN, C. (MRS. MCCALLIEN), on the Fauna of Skipsey's Marine Band (Cephalopoda), 435-41.
- DUNCANSON, D. B., 505.
- Durain, 271-83 *passim*.
- Dykes: radial, 47, 50, 74, 83, 137, 473; xenolithic, *see under* Inverbeg.
- Dyke-swarms, 45, 47, 51-2, 127, 134-5, 479-80, 481-4, 502; *see also under* Arran, Ben Nevis, Carlingford, Mourne Mountains, Mull, Skye.
- and crustal stretching, *see* 134, 266, 482, 484, 489.
- Earthquakes in Scotland, 1925-1927, 1-41; 1928-1935, 512-3.
- Eigg, 70; Corallian in, 203, 210; Cretaceous in, 223; Great Estuarine Series in, 197-8.
- ELDER, S., 510.
- , S., R. J. S. MCCALL, W. D. NEAVES and A. K. PRINGLE, on the Drumlins of Glasgow, 285-7.
- Elginshire: Cretaceous boulders in, 163, 217; Lias boulders in, 183; Trias in, 164, 167-8.
- Elie, Cretaceous boulders at, 218.
- Equilibrioturbal Effects of Magmatic Differentiation, 462-3.
- Ethie, 201, 215-6.
- Fardenia scotica* gen. and sp. nov., description of, 310-3.
- Fifteen Foot Coal, Midlothian, *Carbonicola* Fauna of the, 390-403.
- Floral Zones in Scottish Coal Measures (abstract), 509-10.
- Fusain, 270-84 *passim*.
- Fuel Research Board, 274.
- Gare Loch, 385.
- Gastropoda from the Craighead Limestone, 362; affinities of species, 362-5.
- GEER, G. DE, on Dating of the Ice Age in Scotland, 335-9.
- Glasgow, drumlins of, 285-7.
- Glen Coe: cauldron-subsidence, 115, 123, 132, 264, 484; dyke-swarm, 266, 479; ring-dykes, 118, 121, 479.
- Etive: dyke-swarm, 480; granite, 118.
- Golspie, 201.
- Great Estuarine Series, 159, 162, 193, 196-201; *see also* 202, 204, 210.
- Great Glen Fault, 10, 53, 469, 470.
- "Green Beds" as xenoliths in lamprophyre, 379, 382.
- Greenland, Longitude Determinations in, 508.
- Greensand, 216; in Morvern, 175, 178, 221-2; in Mull, 169, 220-1; in Raasay, 222-3; in Scalpay, 222.
- GREGORY, J. W., Obituary Notice of, 493-5.
- Gruinard Bay, 167.
- HALDANE, D. *See under* KNOX, J. HEIM, A., 513.
- HENDERSON, S. M. K., 510, and *see under* LEITCH, D.
- Helmsdale, 201.
- Hilt's Law, 281.
- Hirnantia* gen. nov., description of, 313.
- Hollybush Limestone, 506.
- Holy Isle, Arran, 88.
- Hook Head, fossils from, 506.
- Hydrozoa from the Craighead Limestone, 367-8.
- Ice Age in Scotland, Dating of, 335-9.
- Iceland, 80, 121, 127.
- Igneous Intrusion, Cause and Mechanism of, 453-92.
- Inferior Oolite in Scotland, 159, 162, 190-6, 199.
- Injection-gneisses, 468, 469, 470.
- Insecta from Skipsey's Marine Band, 435.

- Inverbeg-Rowardennan Dyke (xenolithic lamprophyre), 373, 374; field description, 374-7; petrology, 377; petrology of xenoliths, 379-82; source of xenoliths, 382-4.
- Inversnaid Felsite Sheets, 374, 377; petrology, 377-9; petrology of xenoliths, 382.
- Inverugie, 168.
- Ireland, Tertiary Plutonic Complexes of, 44, 50, 51, 94-7, 117, 127, and see under Carlingford, Mourne Mountains and Slieve Gullion.
- Ironstone. See under Raasay.
- Jan Mayen, Longitude Determinations in, 509.
- Java, 475.
- Jurassic Rocks of Scotland, 162; Lower, 168-90; Middle, 190-201; Upper, 201-16.
- Kellaways Rock in Scotland, 162, 196, 202, 203-5.
- Kettle-holes near Connel Ferry, 152-7, 500.
- Keuper, 165.
- Kilpatrick Hills, 510.
- Kimmeridgian in Scotland, 162, 202, 203, 209, 211-16.
- KNOX, J., and D. HALDANE, on Landslips in Trotternish, Skye (abstract), 510-11.
- Lag a' Bheith Marls, Arran, 165.
- Lamellibranchiata from the Craighead Limestone, 365-6.
- from the Lower Drummock Group, list of, 300.
- from Skipsey's Marine Band: description of, 424-30; list of, Table facing p. 419.
- Lamprophyre dykes. See 259, 261-2, and under Inverbeg.
- LAMONT, A., 502, 507; on the Drummock Group, Girvan, 288-332.
- Leangella discuneata* sp. nov., description of, 315-7.
- Leavad, Caithness, 217.
- LEE, G. W., and J. PRINGLE, on the Mesozoic Rocks of Scotland, 158-224.
- LEITCH, D., 511; on the *Carbonicola* Fauna of the Fifteen Foot Coal, Midlothian, 390-403.
- , D., R. G. ABSALOM and S. M. K. HENDERSON, on the Basal Fauna of the *Modiolaris* Zone in South Ayrshire, 404-8.
- Levenacoroch Marls, Arran, 165.
- Lias of Scotland, 159, 162, 170-1; Lower, 91, 171-83, and see also 200, 217, 221; Middle, 171, 183-6, and see also 221; Upper, 171, 184, 186-90, 195.
- Lingula pringlei* sp. nov., description of, 420.
- Loch Awe, 500.
- Aline, 166, 169, 175, 178, 221, 222.
- Bà Centre, Mull, 63, 65-7, 118, 119, 120, 121, 133.
- Broom (Little), 167.
- Etive, 152, 156, 157, 500.
- Ewe, 167, 174.
- Gairloch, 166.
- Lomond District, Xenolithic Minor Intrusions in, 373-84.
- Sligachan, 79, 166, 176, 180.
- Staffin, 199, 207, 210, 211.
- — Beds, 196.
- Lochaber Water-power Scheme, 228-9, 231, 235; tunnel-sections, 238, 247, 248, 254, 264, 265, 267.
- Lochgilthead Earthquake (1927), 2, 37-9.
- Lossiemouth Sandstones, 167-8.
- MCCALL, R. J. S., 510, and see under ELDER, S.
- MCCALLIEN, W. J., 500, 503, 505, 508; on the Orientation of Cone-shaped Meteorites, 409-12, 511; on the Superficial Deposits at Rhu (Row) Point, 385-9.
- , MRS. See DUNCAN, C.
- MACGREGOR, M., 153, 501, 506, 507, 511; on the Superficial Deposits at Corkerhill (abstract), 503-4;

- Obituary Notice of R. W. Dron, 496-7.
- MACKIE, W., Obituary Notice of, 497-9.
- MCLEAN, A., 503.
- MACMILLAN, R., Obituary Notice of, 495-6.
- MCQUEEN, D. T. H., 507.
- Magma of the British Tertiary Province. *See especially* 137-9, 471.
- Magma-reservoirs *See especially* 125-9.
- Magmatic Differentiation and the Undation Theory. *See especially* 462-8.
- pressure in relation to formation of ring-dykes, cone-sheets and radial fissures, 133-7.
- MANN, L. McL., 504.
- MANSON, W., 416, 507.
- Mesozoic Rocks of Scotland, 158-224.
- Meteor Crater, Arizona, 505, 506.
- Craters, Henbury, 505.
- Meteorites, Note on the Orientation of Cone-shaped, 409-12.
- Microsections, preparation of, 141-151.
- of coal, preparation of, 277-8.
- Migmatites, 464, 465, 468, 469.
- Middle Old Red Sandstone, 201; as boulders in Kimmeridgian, *see* 213-5.
- Millstone Grit: plant-break in, 507; unconformity in, 500.
- Moidart, 52.
- Moine Series, granite-schist complexes of, 468, 469, 470.
- Thrust, 53.
- Moor of Rannoch Granite, 469.
- Moray, boulders of Mesozoic rocks in, 163, 183.
- Morvern (Morven, pp. 158-224), 52, 159, 185, 507; Lower Lias in, 172, 174, 175-6, 178; Rhaetic in, 169-70; Trias in 165, 166; Upper Cretaceous in, 216, 220, 221-2.
- Strontian Granite, 469.
- Mourne Mountains: Dyke-swarm, 95, 109, 112; Tertiary Plutonic Complexes, 51, 94, 95, 108-16, 119, and *see also* 80, 118, 132.
- Muck, 197, 198.
- MUIR-WOOD, Miss H. M., on New *Productidae* from Skipsey's Marine Band, 442-8.
- Mull Dyke-swarm, 52, 126, 127, 134, 266, 489, 502.
- , Mesozoic Rocks of, 159; Inferior Oolite, 191-2; Lower Lias, 171, 174-5, 178-9; Middle Lias, 184-5; Oxford Clay Series, 202, 207; Rhaetic, 169; Trias, 165, 166; Upper Cretaceous, 216, 220-1; Upper Lias, 187.
- , Tertiary Igneous History of, 484-5; *see also* 474-5 and following *item*.
- , Tertiary Ring Structures of, 50, 60-69; *see also* 51, 52, 53, 54, 74, 75, 84, 107, 119-26 *passim*, 129-33 *passim*, 137.
- Mulloch Hill Group, 289, 291, 292, 294, 295.
- Multiple Intrusions, 49, 74, 76, 248, 260.
- Musical sands, Eigg, 197.
- NEAVES, W. D. *See under* ELDER, S. New Red Sandstone. *See* Permian-Trias.
- Newry Granite, 85, 95, 99, 100, 101, 126, 127.
- North Sea Earthquake (1927), 2, 10-29.
- Norway: correlations with Scotland, 512; earthquakes in, 2, 11, 28, 29; excursion to, 509; Upper Palaeozoic Rocks in Oslo district, 504.
- Oban Earthquake (1925), 2, 3-10.
- Obituary Notices, 493-9.
- Oil-shale in Raasay and Skye, 196, 199.
- Ordovician-Silurian boundary, 303-5, 372.
- Oxford Clay Series in Scotland, 162, 202, 203, 205-7; *see also* 210.

- Pabba, 172, 180.  
 — Shales, 174, 178-82.  
 Penrith Sandstone, 164.  
 Permian, 161, 164, 167.  
 Permo-Trias of Scotland, 163, 164, 167; *and see under* Permian *and* Trias.  
 PHEMISTER, J., 501.  
 Pilandsberg Complex, S. Africa, 117.  
 Pillow-structure in lavas, 61.  
 Pisces from Skipsey's Marine Band, 434, and Table facing p. 419.  
 Port-an-Righ, Jurassic strata at, 201, 204, 206-7, 209, 215.  
 Portgower, Kimmeridgian at, 213, 214.  
 Portree, 186, 188, 190, 193.  
*Posidonia* sp. cf. *becheri*, description of, 427.  
 — *sulcata* (emended), description of, 424-6.  
 PRINGLE, A. K. *See under* ELDER, S.  
 —, J., 500, 506; *see also under* LEE, G. W.  
 Proceedings for 1931-1936, Abstract of, 500-513.  
*Pterinopecten macgregori* sp. nov., description of, 427-9.  
 — sp. nov., description of, 429-30.  
 Quiraing, Skye, 207, 510.  
 Quarrel Hill Mudstones, 289, 290, 291, 295, 296.  
 Raasay, Mesozoic Rocks of: Corn-brash, 162, 196, 199, 202; Great Estuarine Series, 196, 199-200; Inferior Oolite, 190, 191, 192, 194-6; Lower Lias, 171, 172, 173, 174, 177, 179, 180-2; Middle Lias, 184, 185-6; ? Rhaetic, 170; Trias, 165, 166; Upper Cretaceous, 222-3; Upper Lias, 184, 187, 188-9, 195.  
 — Ironstone, 184, 188, 189; *see also* 190, 194, 195.  
 Radial dykes, 47, 50, 74, 83, 137, 472.  
 Rational Analysis of coal, 282-3.  
 READ, H. H., 500, 501.  
 Readvance moraines, 338, 385-9.  
 Recent Scottish Earthquakes, 1-11, 512-13.  
 Red Hills, Skye, 50, 69, 70, 76, 119; *see also* 71, 73, 77.  
 REED, F. R. C., on Palaeontological Evidence of the Age of the Craighhead Limestone, 340-72.  
 Reptileriferous Sandstone of Elgin, 167.  
*Rhaaspongia mactaggarti* gen. and sp. nov., description of, 305-7.  
 Rhaetic of Scotland, 91, 159, 162, 165, 168-70; *see also* 217.  
 Rhu (Row) Point, superficial deposits at, 385-9.  
 RICHEY, J. E., 512; on Tertiary Ring Structures in Britain, 42-140.  
 Ring-dykes: Ardnamurchan, 50, 55, 59, 118, 119, 120, 121, 132, 133; Mull, 50, 61-9 *passim*, 118, 119, 120, 121, 124, 128, 133, 488, 489; Slieve Gullion, 51, 97, 99, 101, 119, 120, 123; *see also under* Arran (93), Ben Nevis, Carlingford (106), Glen Coe, Mourne Mountains (114-5), Skye (76, 77).  
 — and cone-sheets, characteristics of, 47, 117-18; problems of intrusion of, 128-39, 472, 475-80.  
 Ring Structures in Britain, Tertiary, 42-140.  
 ROBINSON, P. J., on the Preparation of Rock-sections, 141-51.  
 Rock-sections, Preparation of, 141-51; *see also* 277-8.  
 Ross, G., 500.  
 Rowardennan. *See under* Inverbeg.  
 Rum: radial dykes 50, 83, 137, 472; Tertiary Ring Structures, 50, 79-83, 117, 119, 120, *and see also* 51, 52, 53.  
 St. Bees Sandstone, 164.  
 St. Kilda, Tertiary Plutonic Complex of, 83-6; *see also* 44, 50, 51, 52, 54, 125.  
 Sandstone dykes, Ethie, 215.  
 "Scalpa Series," 183.  
 Scalpay (Scalpa, pp. 158-224): composite sills, 79; Middle Lias, 183-4, 185; Trias, 165, 166; Upper Cretaceous in, 222.  
 Scandinavian Ice Sheet, 335.

- "Screens," 69; *see also* 71, 76, 91, 106, 114, 121, 508.
- Shiant Isles, 184, 187.
- SHUTE, A. W., 508.
- Silicate Shell, Structure and Composition of the, 460-1.
- Sillimanite in xenoliths in lamprophyre, 380, 383.
- SIMPSON, J. B., Obituary Notice of W. Mackie, 497-9.
- SKILLING, W. J., on the Banded Constituents of Coal, 270-84.
- Skipsey's Marine Band, Fauna of, 413-52; description of species, 420-48; list of species, Table facing p. 419.
- Skye: Dyke-swarm, 52, 70, 74, 134, 137, 502; landslips, 510-11; radial dykes, 50, 74, 137.
- , Mesozoic Rocks of, 159; Corallian, 203, 209-10; Great Estuarine Series, 196, 197, 198-9; Inferior Oolite, 190, 191, 193-4; Kellaways Rock, 202, 203, 204-5; Kimmeridgian, 211; Lower Lias, 171, 172, 173, 174, 176-7, 180; Middle Lias, 184, 185, 186; Oxford Clay Series, 207; ? Rhaetic, 170; Trias, 165, 166; Upper Cretaceous, 216, 223; Upper Lias, 184, 187-8.
- , Tertiary Ring Complexes of, 50, 69-79, 117, 119; *see also* 51, 52, 53, 54, 120, 123, 480, *and under* Beinn na Caillich, Cuillin Hills *and* Red Hills.
- Slieve Gullion, Tertiary Ring Complex of, 51, 94, 95, 97-101, 119, *and see also* 102, 120, 121, 123, 126.
- Small Isles, 51, 53, 54; *see also under* Eigg, Muck, Rum.
- Soay, 165, 166.
- Spinel in xenoliths in lamprophyre, 380, 381, 383.
- Spongiae, description of new forms from the Lower Drummock Group, etc., 305-8.
- Spores in coal, 278-9.
- Spynie, 168.
- Staffa, 138.
- "Starfish Bed," 290, 291, 296, 297, 314, 318, 322, 324.
- Staurilite in xenoliths in lamprophyre, 373, 380, 381, 382, 383.
- Stinchar Limestone, 290, 293, 341, 342, 361.
- Stornoway Conglomerate, 166.
- Stotfield, 168, 201.
- Stropheodonta bilix* sp. nov., description of, 313-5.
- Sutherland (Central), granites of, 469.
- (East), Mesozoic Rocks of, 159; Corallian, 202, 203, 207-9; Cretaceous (boulders), 218; Great Estuarine Series, 200-1; Kellaways Rock, 202, 203-4; Kimmeridgian, 202, 203, 211-5; Lower Lias, 172, 182-3; Oxford Clay Series, 202, 203, 205-6; ? Rhaetic, 170; Trias, 167.
- Tertiary Igneous Activity, general aspects of, 44-51; in Scotland, 51-4, 502, *and see also* Ardnamurchan, Arran, Mull, Rum, Skye; in Ireland, 94-7, *and see under* Carlingford, Mourne Mountains, Slieve Gullion.
- Igneous Complexes of Scotland (in relation to the Undation Theory), 470-84.
- Igneous History of Mull, 484-9, *and see under* Mull.
- Ring Structures in Britain, 42-140.
- Tobermory, 179, 185.
- Trias in Scotland, 159, 161-2, 163-8; *see also* 217.
- Trilobita from the Craighead Limestone: affinities of species, 360-2; list of species, 359-60.
- from the Lower Drummock Group: description of new forms, 317-26; list of species, 298-9.
- Trotternish, Skye, landslips in, 510-11.
- Twin Drumlins, 286.
- Earthquakes, 2, 25, 29.



- TYRRELL, G. W., 500, 507; Obituary Notice of J. W. Gregory, 493-5; Obituary Notice of R. Macmillan, 495-6; on the Kainozoic Rocks of Scotland (abstract), 502; on Longitude Determinations in Greenland (abstract), 508; on Longitude Determinations in Jan Mayen (abstract), 509; on Recent Scottish Earthquakes, 1-41, 512-3; *see also under* ANDERSON, J. G. C.
- Undation Theory, The, 455-9.
- Unst, 500.
- Varves, 335, 336, 337.
- Vitrain, 271-83 *passim*.
- Vredefort Dome, S. Africa, 473-4; *see also* 89.
- WALTON, J., on the Lower Carboniferous Flora of the West of Scotland (abstract), 510.
- Wegener's theory of continental drift, 125-6; *see also* 304, 508, 509.
- WEIR, J., 501, 511; on a Recent Discovery of Upper Palaeozoic Rocks in the Oslo District (abstract), 504.
- WRIGHT, J., and J. L. BEGG, on Fossils from Hook Head (abstract), 506.
- Xenolithic Minor Intrusions in Loch Lomond District. *See under* Inverbeg *and* Inversnaid.